

Sustainability datasheet



Manufacturing	Secondary Backing	Well-being barometer							Sustainability barometer							Green Building Labels				
		ISO 14001	One Manufacturing footprint	Shock absorption (EN 14808)	Green Label Plus (ISO/IEC 17065)	Impact Sound Insulation (ISO 10140)	Sound Absorption (EN ISO 354)	FlexLok Compatible	EPD CERTIFIED (EN 15804+A2)	BLUE EPD	EMBODIED CARBON (KG/M ²)	FDES (NF EN 15804+A2)	Yarn Type	Yarn recycled content	Pre consumer recycled content	Post consumer recycled content	Total recycled content	BREEAM Contributions (credits)	LEED Contributions (credits)	WELL Contributions (points)
▼ Products																				
Alternate	EcoFlex™Statera	✓	✓	17,36%	GLP100161	25dB	0,15 _{αw}	✓	EPD-GUT-20220083-CBG1-EN	5,85	20240136319	100% SD Thrive™ Matter	90%	56,8%	-	56,8%	17	13	23	
Animate	EcoFlex™Statera	✓	✓	17,36%	GLP100161	24dB	0,15 _{αw}	✓	EPD-GUT-20220083-CBG1-EN	5,85	20240136319	100% SD Thrive™ Matter	90%	56,8%	-	56,8%	17	13	23	
Balanced	EcoFlex™Statera	✓	✓	16,48%	GLP100161	25dB	0,20 _{αw}	✓	EPD-GUT-20220083-CBG1-EN	5,85	20240136319	100% SD Thrive™ Matter	90%	55,5%	-	55,5%	17	13	23	
Basalt	EcoFlex™Statera	✓	✓	16,60%	GLP100161	28dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,77	20240136319	100% SD PA6	0%	44,2%	-	44,2%	17	13	23
Basalt	EcoFlex™NXT	✓	✓	16,50%	GLP1171	24dB	0,20 _{αw}	✓	TBC	✓	TBC	20240136319	100% SD Thrive™ Matter	90%	56,4%	-	56,4%	16	13	23
Blurred Edge	EcoFlex™Statera	✓	✓	14,73%	GLP100161	25dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	10,00	20240136319	100% SD PA6	0%	41,9%	-	41,9%	17	13	23
Bruut	EcoFlex™Statera	✓	✓	23,83%	GLP100161	31dB	0,30 _{αw}	✓	EPD-IVC-20220245-CBB1-EN		4,60	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	17	13	23
Bruut	EcoFlex™One	✓	✓	18,30%	GLP1171	28dB	0,30 _{αw}	✓	TBC		TBC	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	16	13	23
Clay	EcoFlex™Statera	✓	✓	17,23%	GLP100161	28dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,77	20240136319	100% SD PA6	0%	43,9%	-	43,9%	17	13	23
Clay	EcoFlex™NXT	✓	✓	16,50%	GLP1171	24dB	0,20 _{αw}	✓	TBC	✓	TBC	20240136319	100% SD Thrive™ Matter	90%	56,4%	-	56,4%	16	13	23
Clay Create	EcoFlex™NXT	✓	✓	17,23%	GLP100161	28dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,77	20240136319	100% SD PA6	0%	43,9%	-	43,9%	17	13	23
Creative Spark	EcoFlex™Statera	✓	✓	13,63%	GLP100161	32dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,16	20240136319	100% SD PA6	0%	43,1%	-	43,1%	17	13	23
ChillID	EcoFlex™One	✓	✓	TBC	GLP1171	28dB	0,30 _{αw}	✓	TBC		TBC	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	16	13	23
Chrome	EcoFlex™Statera	✓	✓	14,23%	GLP100161	24dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	10,00	20240136319	100% SD PA6	0%	42,5%	-	42,5%	17	13	23
Expansion Point	EcoFlex™Statera	✓	✓	13,63%	GLP100161	27dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,16	20240136319	100% SD PA6	0%	42,5%	-	42,5%	17	13	23
Flare	EcoFlex™Statera	✓	✓	14,23%	GLP100161	24dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,16	20240136319	100% SD PA6	0%	42,5%	-	42,5%	17	13	23
Follow	EcoFlex™Statera	✓	✓	9,68%	GLP100161	16dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	10,00	20240136319	100% SD PA6	0%	44,1%	-	44,1%	17	13	23
Glow	EcoFlex™Statera	✓	✓	14,23%	GLP100161	24dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	10,00	20240136319	100% SD PA6	0%	42,5%	-	42,5%	17	13	23
Grit	EcoFlex™Statera	✓	✓	23,30%	GLP100161	29dB	0,25 _{αw}	✓	EPD-IVC-20220245-CBB1-EN		4,60	20240136320	100% SD Econyl®	100%	51,8%	7,9%	59,6%	17	13	23
Grit	EcoFlex™One	✓	✓	TBC	GLP1171	28dB	0,30 _{αw}	✓	TBC		TBC	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	16	13	23
Jute	EcoFlex™Statera	✓	✓	16,60%	GLP100161	28dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,77	20240136319	100% SD PA6	0%	44,2%	-	44,2%	17	13	23
Jute	EcoFlex™NXT	✓	✓	16,50%	GLP1171	24dB	0,20 _{αw}	✓	TBC	✓	TBC	20240136319	100% SD Thrive™ Matter	90%	56,4%	-	56,4%	16	13	23
Liberate	EcoFlex™Statera	✓	✓	17,36%	GLP100161	24dB	0,15 _{αw}	✓	EPD-GUT-20220083-CBG1-EN		5,85	20240136319	100% SD Thrive™ Matter	90%	56,8%	-	56,8%	17	13	23
Macro Bloom	EcoFlex™One	✓	✓	TBC	GLP1171	28dB	0,30 _{αw}	✓	TBC		TBC	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	16	13	23

Sustainability datasheet



Manufacturing	Well-being barometer							Sustainability barometer							Green Building Labels					
	Secondary Backing	ISO 14001	One Manufacturing footprint	Shock absorption (EN 14808)	Green Label Plus (ISO/IEC 17065)	Impact Sound Insulation (ISO 10140)	Sound Absorption (EN ISO 354)	FlexLok Compatible	EPD CERTIFIED (EN 15804+A2)	BLUE EPD	EMBODIED CARBON (KG/M ²)	FDES (NF EN 15804+A2)	Yarn Type	Yarn recycled content	Pre consumer recycled content	Post consumer recycled content	Total recycled content	BREEAM Contributions (credits)	LEED Contributions (credits)	WELL Contributions (points)
▼ Products																				
Micro Bloom	EcoFlex™One	✓	✓	TBC	GLP1171	28dB	0,30 _{αw}	✓	TBC		TBC	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	16	13	23
MellowD	EcoFlex™One	✓	✓	TBC	GLP1171	28dB	0,30 _{αw}	✓	TBC		TBC	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	16	13	23
Metallic Clay	EcoFlex™Statera	✓	✓	17,23%	GLP100161	28dB	0,20 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,77	20240136319	100% SD PA6	0%	43,9%	-	43,9%	17	13	23
Metallic Clay	EcoFlex™NXT	✓	✓	16,50%	GLP1171	24dB	0,20 _{αw}	✓	TBC	✓	TBC	20240136319	100% SD Thrive™ Matter	90%	56,4%	-	56,4%	16	13	23
Orb	EcoFlex™Statera	✓	✓	14,23%	GLP100161	24dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	10,00	20240136319	100% SD PA6	0%	42,5%	-	42,5%	17	13	23
Perspective	EcoFlex™Statera	✓	✓	17,16%	GLP100161	25dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,77	20240136319	100% SD PA6	0%	43,9%	-	43,9%	17	13	23
Quartz	EcoFlex™NXT	✓	✓	16,50%	GLP1171	24dB	0,20 _{αw}	✓	TBC	✓	TBC	20240136319	100% SD Thrive™ Matter	90%	56,4%	-	56,4%	16	13	23
Reflect	EcoFlex™Statera	✓	✓	14,23%	GLP100161	25dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,16	20240136319	100% SD PA6	0%	42,5%	-	42,5%	17	13	23
Rupture	EcoFlex™Statera	✓	✓	25,19%	GLP100161	30dB	0,30 _{αw}	✓	EPD-IVC-20220245-CBB1-EN		4,60	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	17	13	23
Rupture	EcoFlex™One	✓	✓	TBC	GLP1171	28dB	0,30 _{αw}	✓	TBC		TBC	20240136320	100% SD Econyl®	100%	50,4%	7,9%	58,3%	16	13	23
Tailored	EcoFlex™Statera	✓	✓	16,48%	GLP100161	25dB	0,20 _{αw}	✓	EPD-GUT-20220083-CBG1-EN		5,85	20240136319	100% SD Thrive™ Matter	90%	55,5%	-	55,5%	17	13	23
Teak	EcoFlex™Statera	✓	✓	16,60%	GLP100161	28dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,77	20240136319	100% SD PA6	0%	44,2%	-	44,2%	17	13	23
Teak	EcoFlex™NXT	✓	✓	16,50%	GLP1171	24dB	0,20 _{αw}	✓	TBC	✓	TBC	20240136319	100% SD Thrive™ Matter	90%	56,4%	-	56,4%	16	13	23
Thor	EcoFlex™Statera	✓	✓	15,99%	GLP100161	24dB	0,15 _{αw}	✓	EPD-GUT-20220083-CBG1-EN		5,85	20240136319	100% SD Econyl®	100%	51,2	7,8%	59,0%	17	13	23
Unchained	EcoFlex™Statera	✓	✓	16,48%	GLP100161	25dB	0,20 _{αw}	✓	EPD-GUT-20220083-CBG1-EN		5,85	20240136319	100% SD Thrive™ Matter	90%	55,5%	-	55,5%	17	13	23
View	EcoFlex™Statera	✓	✓	17,16%	GLP100161	25dB	0,15 _{αw}	✓	EPD-IVC-20220243-CBB1-EN	✓	8,77	20240136319	100% SD PA6	0%	43,9%	-	43,9%	17	13	23